## In the claims:

For the convenience of the Examiner, all claims being examined, whether or not amended, are presented below.

## 1-96. (Canceled)

- 97. (Currently Amended) A method for decreasing neuronal cell death associated with a neuropathy, comprising contacting said neuronal cell with a morphogen comprising a dimeric protein-with, the dimeric protein having one or more of the following:
  - (1) a conserved C-terminal seven six-cysteine skeleton 60% identical to residues 38 43-139 of SEQ ID NO: 5;
  - (2) a conserved C-terminal seven-cysteine skeleton 70% homologous to residues 38-139 of SEQ ID NO: 5;
  - (3) a conserved C-terminal six-cysteine skeleton 70% homologous to residues 43-139 of SEQ ID NO: 5; or
  - (3)(4) an amino acid sequence of human OP-1, mouse OP-1, human OP-2, mouse OP-2, 60A, GDF-1, BMP2A, BMP2B, DPP, Vg1, Vgr-1, BMP3, BMP5, or BMP6,
  - (4) a sequence defined by Generic Sequence 6, SEQ ID NO: 31; or,
  - (5)—a sequence defined by OPX, SEQ ID NO: 29; wherein the morphogen stimulates the production of an N-CAM or L1 isoform in said neuronal cell.

## 98. (Canceled)

- 99. (Currently Amended) A method for decreasing neuronal cell death associated with a chemical or physical injury, comprising contacting said neuronal cell with a morphogen comprising a dimeric protein with:
  - (1) a conserved C-terminal seven-six-cysteine skeleton 60% identical to residues 38
    43-139 of SEQ ID NO: 5;
  - (2) a conserved C-terminal seven-cysteine skeleton 70% homologous to residues 38-139 of SEQ ID NO: 5;
  - (3) a conserved C-terminal six-cysteine skeleton 70% homologous to residues 43-139 of SEQ ID NO: 5; or
  - (3)(4) an amino acid sequence of human OP-1, mouse OP-1, human OP-2, mouse OP-2, 60A, GDF-1, BMP2A, BMP2B, DPP, Vg1, Vgr-1, BMP3, BMP5, or BMP6,

- (4) a sequence defined by Generic Sequence 6, SEQ ID NO: 31; or,
- (5)—a sequence defined by OPX, SEQ ID NO: 29; wherein the morphogen stimulates the production of an N-CAM or L1 isoform in said neuronal cell.

## 100-104.(Canceled)

- 105. (Previously presented) The method of claim 97 or 99, wherein the morphogen is human OP-1.
- 106. (Previously presented) The method of claim 97 or 99, wherein the morphogen is mouse OP-1.
- 107. (Previously presented) The method of claim 97 or 99, wherein the morphogen is human OP-1, mouse OP-1, human OP-2, mouse OP-2, 60A, BMP2A, BMP2B, Vg1, Vgr-1, BMP5, or BMP6.
- 108. (Previously presented) The method of claim 97 or 99, wherein the morphogen is human OP-1, mouse OP-1, human OP-2, mouse OP-2, BMP5, or BMP6.
- 109. (New) The method of claim 97 or 99, wherein the morphogen is a dimeric protein having a conserved C-terminal six-cysteine skeleton 60% identical to residues 43-139 of SEQ ID NO: 5.
- 110. (New) The method of claim 97 or 99, wherein the morphogen is a dimeric protein having a conserved C-terminal seven-cysteine skeleton 70% homologous to residues 38-139 of SEQ ID NO: 5.
- 111. (New) The method of claim 97 or 99, wherein the morphogen is a dimeric protein having a conserved C-terminal six-cysteine skeleton 70% homologous to residues 43-139 of SEQ ID NO: 5.